



Inform and guide your audience while delivering confidence and corporate messaging at the same time

Main features

- Touch and non-touch option
- Free-standing design with option to bolt down base plate
- Power & data feed from rear panel or through the base plate
- Anti-Glare protection glass over the screen
- Key lockable access service doore
- Ergonomic and compact structure,



Screen Size	32"	43"	49"	55"
Model Number	T32VE	T43VE	T49VE	T55VE

Technical Specifications

Screen

Screen Size	32" 43" 49" 55"
Resolution	32" 1920x1080 - 43" 49" 55" 4K
Brightness	450 cd/m2
Aspect Ratio	16:9
Contrast Ratio	5000:1
Viewing Angle	178:178
Response Time	8ms

Signage Media Player

Player	Built-in MagicInfo S6, SSSP 6.0
Processor	Coretex A72 1.7GHz Quad-Core CPU
Memory	2.5GB LPDDR4 1.5GHz 64bit
Operating System	Tizen 4.0 (VDLinux)

Other

Application	Indoor
Colour	White (optional)
Installation	Floor bolting / Free Standing
Enclosure	Metal
Working temperature	0°C~50°C
Power supply	AC 100-240V 50/60HZ



Smart Design

The sleek look is achieved with a striking aluminium surround and edge-to-edge vandal proof tempered glass front panel




Integrated Signage Media Player

powered by Samsung MagicInfo S4 Tizen



Built in Wi-Fi

Connect the screen to the CMS wirelessly via the integrated Wi-Fi, ethernet or by LAN



Plug and Play

If there is no internet access available the screen can still be updated thanks to their backup USB update option.



24/7 Commercial Use

A commercial grade panel, with a lifespan of 50,000 hours and high quality compenets ensure that this display can be in constant use 24/7.



Dimension (mm)

Size	Model Name	A	B	C	D	E	F	G
32"	T32VE	566	1686	446	636	95	140	350
43"	T43VE	700	1720	580	770	95	140	400
49"	T49VE	794	1944	731	920	95	140	500
55"	T55VE	840	1965	720	910	95	140	500



Temas Technology Co.Ltd.

Esensehir Mahallesi, Basari Sokak, No: 14\1 Yukari Dudullu

Umraniye - Istanbul - TURKEY

Tel +90 216 314 54 54 - Fax +90 216394 44 98

info@temasteknoloji.com.tr - www.temasteknoloji.com.tr